



Printed from: Interstate Technology & Regulatory Council (ITRC). 2016. *Long-Term Contaminant Management Using Institutional Controls*. IC-1. Washington, D.C.: Interstate Technology & Regulatory Council, Long-Term Contaminant Management Using Institutional Controls Team.
<http://institutionalcontrols.itrcweb.org/>.

Additional Information

Survey Summaries

The ITRC survey results are detailed in the PDF file below:



Summaries of ITRC Institutional Controls Survey Questions

State-Specific Survey Response

The state-specific responses to the ITRC survey are included in the PDF file below:



Responses specific to each Respondent to the ITRC State Survey

Data Management

IC management uses considerable data during implementation, assembling a registry, monitoring, outreach and enforcement. While other sections of this document have explained the user's "front-end" experience applying web-based services to manage ICs, this appendix describes the attributes needed for the "back-end" of any management program and the web traffic optimization encompasses activities to increase the traffic and use of the web and data resources created.

IC Database Management and Web Traffic Optimization

The purpose of a back-end data-base management system (DBMS) is to store and transform data into information to support making decisions by the agencies and private and public stakeholders. Often geographic information systems (GIS) augment the DBMS to provide mapping associated with IC management to web services which can then mediate communication and other functions to support IC management

The purpose of web traffic optimization is to increase the discovery and traffic to the institutional control website. This discussion extends the overview presented in Stakeholder Perspectives. In essence, once the data are well formed and displayed, the user base should be extended to benefit from the effort.

This appendix provides an overview of data management and web traffic optimization for ICs to allow program managers to engage with IT staff toward bringing necessary data management to support implementation of ICs. Therefore, the discussion is more technical, and forges a communication bridge between program and IT staff.

Purpose of IC Data Management

There are multiple roles associated with IC data management. It is important that IC information is maintained accurately, changes tracked, and documents retained throughout the life of the IC. Ideally, the ability to share data across different levels of government and stakeholders will continue to be developed and will ultimately result in more effective ICs. Effective data management includes the following elements:

- maintaining security of data
- meeting the needs of multiple user roles
- maintaining data integrity and durability
- providing accessibility by disability and language
- exchanging and sharing of data to government and public use

- responding to web service data request protocols
- complying with IC data schemas
- utilizing geospatial attributes including polygonal attributes

Ultimately most users will not be aware of the underlying data management, but the ease and trust of the interaction will be enabled by achieving, as practical, this data management vision.

Program Elements for IC Data Management

The data management for ICs is characterized in five program elements highlighted in Red on Figure 10 below. As indicated most of the data management elements are in the “back-end” behind firewalls that preserve the security of the data. Users within an agency would access the data through the agencies local area network (LAN) while public and other third parties would access the data across the Internet.




Figure 10. Program elements of an IC data management system.

Database Management Systems (DBMS)

A DBMS provides automated methods to create, store and retrieve data. It may take some time to set up these methods, but once in place, a DBMS can streamline tedious manual tasks. The DBMS is one component of data management, but is critical as this is the infrastructure upon which other data management elements are implemented.

An IC DBMS can take several forms. The cataloging of ICs at its simplest can be contained in a spreadsheet. However, the demands of an organization soon dictate multiuser access to a server-based DBMS. Additionally, the characteristics of ICs soon demand a one-to-many relational database that allows one IC to be connected to many stakeholders or too many restrictions. Finally, that geographic locations are material to an IC, a geospatial DBMS can store the geographic boundaries of the ICs or ECs.

The IC DBMS is often part of a larger departmental DBMS. An environmental management DBMS may have the IC management be one element of the program. At times multiple DBMS may be used. One DBMS may store documents, another geospatial descriptions, and another may act as an exchange between government servers. All the DBMS's are synched using common data keys residing on each DBMS.

Geographical Information Systems

A geographic information system (GIS) is a system designed to capture, store, manipulate, analyze, manage, and present all types of spatial or geographical data. Geographic features associated with IC management include the boundary of the IC, the boundary of an engineering control, the boundary of the site, the restricted areas, the parcel boundaries, and the locations of land activity and uses affecting IC or EC effectiveness such as excavations, sensitive use, water wells or zoning.

IC features vary in their geometry. IC and EC boundaries are represented as a “polygon” feature, an “excavation” extent as a line feature, while a water well as a “point” feature. These geometries are located in geospatial projections. Projections can be planar such as state plane, which are represented in feet distances, or the projections can be geometric where distances are represented in decimal degrees. Often state agencies may use a state plane projection as the accuracy of the location is superior, and comparing distances in feet is more intuitive. A limitation is that one state’s projection is not transferable to another state. For this reason, large coverage mapping systems such as Google Maps or Microsoft Bing rely on a geographic projection. In fact they rely on one common data projection called WGS 84. As IC data are aggregated or shared, realizing what the projection is will facilitate moving IC data between mapping systems using different projections.

Often when ICs are received by the agency they are not in a geographic format, but described in legal descriptions such as “metes and bounds”. Bringing legal descriptions into a geometric description can be tedious and require access to records at a local recording office or field surveying to resolve the locations.

Geographic Information Systems (GIS) add a data field often deemed a “geom” that contains a polygon, line, or point. There are also geoms that are multipolygons applicable to a situation where one IC might encompass two noncontiguous parcels. The GIS data can be accessed with client software like ArcGIS and QGIS. A server such as ArcGIS server or PostgreSQL/PostGIS allow multiuser access to a geographic data.

Data Schemas for IC Management

A data schema is the architecture of how IC data are stored. The schema contains a logical hierarchy, often described as parent-child relationships, to provide an organization to the data (Figure 11). The schema is not the IC data, but rather how the data are organized. With an organized data schema, IC data can be shared between interested stakeholders.

A data schema is an inherent element of a data management system. Having well thought-out data schemas assures that all IC data can be managed. The agency DBMS likely manages more than IC data, so the IC data schema may exist inside a larger data schema for the agency’s environmental data; see Figure 11.




Figure 11. Data schema for a DBMS.

Source Bob Wenzlau, Terradex.

In 2002, USEPA recognized that ICs would be most effective if the data could be shared between agencies and other interested parties. To share the data, a common IC data schema was envisioned. The IC data schema was formed by the participation of federal, state and public stakeholders. While the data objectives for the IC schema were set, it was not finished until 2012, when Ohio and Indiana completed the full schema. On June 10, 2013 the Environmental Information Exchange Network (EIEN) announced the release of an IC Data Exchange. The IC Data Exchange provides a standard means for sharing IC information between separately-owned computer systems. A graphical model of the IC data schema is show in Figure 12 below:




Figure 12. Ohio and Indiana data schema, June 2013.

Source: Bob Wenzlau, Terradex.

The IC data schema shows the parent-child data relationships. The schema conforms to an organizational logic of ICs assembled across the stakeholder meetings. The top element is the instrument that is either the proprietary control, governmental control, or enforcement document. Therefore, the schema accommodates that one IC instrument might be relied upon by multiple sites (as in the case of a groundwater use ordinance), or that one site may have multiple IC (as in the case when multiple proprietary controls are issued to cover a single site.) The IC location information is parallel to the instrument because a location may be relied upon multiple times as in the case when a site boundary may coincide with an IC boundary.

The child elements of the IC instrument contain the following information:

- objective, providing a general state of the IC objective
- media, characterizing the media affected by the restriction
- use restriction, applying a standardized listing of activity and use restrictions
- contaminant, summary of contaminants relevant to the IC
- engineering control, providing additional characterization when an engineering control is part of the IC
- affiliates, providing identification to contacts participant in the IC implementation
- resources, showing links to documents including the IC instrument.
- events, scheduling single and recurring events that would typically be affirmative obligations associated with the IC

The child elements of the IC Location coincide with the multiple possibilities to describe the location of the IC including parcel designations, facility identification number or geographic locations.

A database used by an agency may not necessarily need to store the data into a data table structure that coincides with the IC data schema. However, as data are shared, the IC data may be transformed “on the fly” to coincide with the IC data schema. Once transformed to the schema, the data can be shared. This is an approach common to the Environmental Data Exchange.

When IC data are shared in the data schema, the data are shared in a format known as XML. XML is a text format for sending data that uses tags, similar to HTML tags, to show how IC data relates into the IC schema. An example of an IC XML data schema is shown below:

```
<?xml version="1.0" encoding="UTF-8" ?>
<IC:InstitutionalControlsDocument xmlns:IC="http://www.exchangenetwork.net/schema/IC/1"
  xmlns:gml="http://www.opengis.net/gml" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.exchangenetwork.net/schema/IC/1 1.0/xml_schema/index.xsd">
  <IC:InstrumentList>
    <IC:Instrument>
      <IC:DataSource>
        <IC:OriginatingPartnerName>Ohio EPA</IC:OriginatingPartnerName>
        <IC:InformationSystemAcronymName>OEPA-IC</IC:InformationSystemAcronymName>
        <IC:LastUpdatedDate>2010-08-13</IC:LastUpdatedDate>
      </IC:DataSource>
      <IC:InstrumentIdentifier>11111</IC:InstrumentIdentifier>
      <IC:InstrumentName>Restrictive Covenant for ACME facility</IC:InstrumentName>
      <IC:InstrumentCategoryCode>Proprietary</IC:InstrumentCategoryCode>
      <IC:InstrumentTypeCode>Restrictive Covenant</IC:InstrumentTypeCode>
    </IC:Instrument>
  </IC:InstrumentList>
</IC:InstitutionalControlsDocument>
```

Web Services

Sharing IC data between stakeholders is a method to communicate the presence and impact of ICs. An exchange permits the machine-to-machine sharing of structured and unstructured data using understood protocols.

Web services have an inward and an outward data flow. The tools used depend on if the shared data are unstructured (such as a PDF or a photo), or structured (such as an IC XML data for an IC.) When unstructured data are shared, the web forms allow for both the upload and the download of files. The user typically manually performs these transfers.

When structured data are shared, the transfer is often machine-to-machine using data transfer protocols. When XML data are transferred, a common protocol used is the RestFUL (Representational State Transfer) protocol.

Purpose of Web Traffic Optimization

The effectiveness of any web site presence for public use is only as strong as the discovery of the information by those parties that would be impacted by the knowledge. The paradigm of information discovery is the Internet either through organic search (such as Google search), paid ads (Google Ads, or LinkedIn), or through social discovery in systems like Facebook.

This web traffic optimization is accomplished by adding hidden features to web pages that automated website data crawlers that search engines employ, calibrating website content for discovery in organic search engines like Google and Bing, paying for search discovery using Google Adwords, and promoting the website through social media pages that would show on sites as Facebook or LinkedIn. The search and social media is optimized by measuring the performance, and if paid approaches

are applied optimizing the spending based on effectiveness of paid search.

Effective web traffic optimization includes the following elements:

- Preparing Your Website for Search and Social Discovery
- Organic Search Discovery
- Paid Search Discovery
- Social Web Discovery
- Search and Social Analytic Tools

Program Elements for Web Traffic Optimization

The program elements of web traffic optimization should increase stakeholder awareness of the web resource and the traffic would demonstrably increase. As in Figure D-4, we seek to bring a stakeholder to the web site through a variety of approach, and monitor the effectiveness of various discovery approaches.




Figure 13. Web traffic optimization.

Source: Courtesy Bob Wenzlau, Terradex.

Preparing Your Website for Search and Social Discovery

To be discovered, the website should be search engine-friendly and include specific content optimized for search engine placement. Search engines are smarter, and can judge the quality of the content, and the popularity of the content. Several of these elements are shown in the graphic below of the inside view of our website.

- **Indexable Content.** – crawlable link structure including the **Anchor Tag** and **meta tags**.
- **Anchor Text.** Anchor Text is the visible, clickable text in a hyperlink (**URL**). In modern browsers, it is often blue and underlined. Well formed anchor names using key words informs crawl tools. (link)
- **Meta Tags.** Hidden in the Header of the web page, are direct messages to search engine crawling tools.
 - The title element of a web page is meant to be an accurate and concise description of a page's content. (link)
 - Provide concise explanations of the contents of web pages. Meta descriptions are commonly used on search engine result pages (SERPs) to display preview snippets for a given page. (link)
 - **Key Words.** Are are the key words and phrases in your web content that make it possible for people to find your site via search engines. (link)
- A small file in the root web directory that tells search engines data on the pages of a site they want crawled as well as the priority or hierarchy of site content alongside information on when the page was last updated. (link)
- **Relevance or Keyword Narrative.** The keywords should be relevant to the narrative and image content of the site. "The real trick is developing (targeted) keyword relevant targeted that can actually gain the **popularity** it needs to help you rank." (link) (link).

- **Tracking Codes.** Small web scripts are placed in the Footer of the web page to send usage information to social analytic site.
- **Social Sharing.** Sharing to Facebook, Google+, LinkedIn. The social sharing may influence organic search ranking.

Organic Search Discovery

Organic discovery includes Google Search (with 67% market share), Bing, Yahoo, LinkedIn etc. Search engines have two major functions: crawling and building an index, and providing search users with a ranked list of the websites they've determined are the most relevant. An example from Google shown below, **Paid Search** results shown on right of panel.

- **Search Engine Ranking.** Overall placement when search results return – top is best.
- **Crawling, Spidering and Robots.** A collection of terms related to the agents used by search companies. Broadly these agents follow **anchor tags** or **site maps** to discovery searchable websites. Tags exist that direct “no robots” to ask that certain portions of websites not be indexed. (link)



Figure 14. Google search index, screenshot.

Source: Courtesy Bob Wenzlau, Terradex.

Paid Search Discovery

Basically advertisements that are placed in search engines or on websites that seek to make revenue by displaying ads. Strategists are striving to get the most out of organic search given the spending that paid search requires. The graphic shows the relationship between **Ad Groups** and **Campaigns**.

- **Campaign Goal.** Set a goal – Increase Targeted Traffic, Increase Sales, Become a resource, increase visibility, establish brand in social media – the goal directs the campaign. (link)
- **Campaign and Ad Groups.** Within the Google AdWords or Facebook account, the campaign is where the budget is set. Beneath a campaign multiple ad groups can deploy different ads with different keywords. (link)
- **Target Audience.** Google ads now targeting features place less emphasis on the keyword and more focus on the audience. Targeting includes day, location, types of locations (school), device, or weather. Also interest categories such as “cares about environment”, or demographic (age and sex). (link)
- **Cost Per Click (CPC)** – Is an Internet advertising model used on websites, in which advertisers pay only when their ad is clicked, not each time an ad is shown. Fee model applies to Google Adwords, Facebook and LinkedIn.
- **Cost Per Impression (CPM)** – Is an Internet advertising model used on websites, in which advertisers pay for the number of times an ad is shown regardless of whether it is clicked on or not.
- **CPC vs. CPM.** In most cases, using a cost per click payment model is the most beneficial for businesses advertising online. The one exception where it is not clear is Google Adwords (link)
- **Daily or Lifetime Campaign Budget.** There are multiple modes to control the spend. Limiting the reach of

early campaigns allows determining effectiveness as measured by **analytic tools**.

Social Web Discovery

Social Sharing includes Facebook, Google+, Twitter, and Yelp. The website appears in the context of the user's social interactions. With social web discovery one promotes content to enable discovery while the user interacts with the social website. To complicate matters, most social sites carry search engines, but the search domain is generally limited to the content that they catalog, not the entire web as organic search performs. Social discovery may well bring in the best quality audience to the website.

- Forecast of audience count based on **campaign** demographics. On Facebook, post reach is the number of people who have seen your post. Your post counts as reaching someone when it is shown in **News Feed**.
- **Organic reach** is the total number of unique people who were shown your post through unpaid distribution. **Paid reach** is the total number of unique people who were shown your post as a result of ads.
- In the context of the social web, **engagement** means that customers and stakeholders are participants rather than viewers. (link)
- Influence is the ability to drive action, such as sharing a picture that triggers comments and likes, or tweeting about a great restaurant and causing followers to try it for themselves. Social actions are a signal that friends and peers in social networks have been influenced by content. Influencers links to the site will influence placement in **search engines**. (link)
- Same as **keywords**, but overt in social posts.
- **Social media optimization (SMO)**. Social media optimization is becoming an increasingly important factor in search engine optimization, as search engines are increasingly utilizing the recommendations of users of social networks such as Reddit, Facebook, Tumblr, Twitter, YouTube, and Google+ to rank pages in the search engine result pages. (link)
- On Facebook, a **Page** is created which would correspond to a web page that an agency might hold.

Search and Social Analytic Tools

There are multiple free and paid approaches to measure and diagnose web site and campaign performance. Measurement is imperative to optimizing results, but requires vigilance. An example of Google Analytics is shown in Figure 15.

- **Website Analytics Tools**. Google Analytics allow measuring whether web traffic originates from organic, paid or social. Some other third party paid providers, such as Moz, offer a suite of tools with support.
- **Website Performance**. These tools analyze the website for **organic search**. A commonly used free version is Google Webmaster Tools or Search console evaluates site for organic search. (link)
- **Social Analytic Tools** are applied to metrics within a social site such as Facebook or LinkedIn. Facebook applies **Page Insights** to reveal analytics with the website. LinkedIn maintains an Analytics Tab that reveals demographics.
- A conversion is a customer action that has value to your business, such as purchase, downloading an app, visiting a website, filling out a form or signing a contract. Online and offline actions are called conversions because a customer's click translated – or converted – to business. (link)
- Redirection is the process of forwarding one **URL** to a different **URL**. They can be an adverse symptom for website performance. There are three main kinds of redirects: 301, 302, and meta refresh. (link)
- **Click-Through-Rate (CTR)**. The purpose of click-through rates is to measure the ratio of clicks to impressions of an online ad or email marketing campaign. (link)
- **Bounce Rate**. – It represents the percentage of visitors who enter the site and then leave (“bounce”) rather than continuing on to view other pages within the same site. (link)




Figure 15. An example of a Google analytics report, screenshot.

Representative IC Data Management Programs

Indiana

Indiana's Institutional Control Registry is composed of 5 components: 1) a relational database management system used by the Indiana Department of Environmental Management (IDEM) to track ICs and generate internal reports, 2) a GIS system that stores polygons of areas restricted by ICs and provides an internal GIS viewer for state government staff, 3) a public-facing website (<https://www.in.gov/idem/cleanups/2358.htm>) listing implemented ICs and information about the associated property, 4) a layer on the official Indiana state atlas, IndianaMap (<http://www.indianamap.org>), showing the boundaries of IC-restricted areas and attributes of those areas, and 5) a public- and internal-facing records repository (called the Virtual File Cabinet) that provides access to all IC-related documents received by or published by IDEM. To facilitate direct access to the IC-related documents, links to the documents are stored in the RDBMS and included as hyperlinks on external reports and the IndianaMap layer.

Indiana accepts proposed IC boundaries as either metes and bounds property descriptions or GIS polygon files provided that all points meet IDEM's 1 foot horizontal accuracy standard. All proposed restricted areas submitted as metes and bounds legal descriptions are converted by IDEM data services personnel into GIS polygons, which are then reviewed by IDEM project management staff to ensure they accurately portray the area(s) to be restricted.

Indiana currently uses the Exchange Network's Facility Identification (FacID) dataflow to automatically update Environmental Protection Agency (EPA) databases with IC-related facility information, but does not currently publish data in the Exchange Network's IC data schema.

Indiana's IC Registry received an Environmental Council of the States (ECOS) Innovation Award in 2013.

USEPA

The EPA regains information regarding EPA-lead superfund sites, but typically leaves the GIS data management to the state.

The EPA is transitioning to a new information system, the Superfund Enterprise Management System (SEMS), for their project records. SEMS is a replacement for the Institutional Controls Tracking System (ICTS) for ICs. The US EPA maintains limited information for ICs implemented under RCRA and Superfund, but this information generally does not include

monitoring, compliance, or enforcement information. They do function in terms of distributing information to stakeholders. The two main systems are RCRAInfo and SEMS. External stakeholders may search for information on sites at the website.

Private IC Tracking Companies

Various private companies are stakeholders in the monitoring, tracking, and compliance with ICs. These companies have made significant strides in the effort to integrate IC information across potential IC management tools such as one call systems and local land use permitting systems.

Model Best Practices for Data Management

- Use relational databases to accommodate the nature of IC data.
- Use a geospatial database that can resolve the boundaries of ICs.
- Apply the IC XML data standard to the organization of IC data
- Enable data transfer protocols for structured XML data in the IC XML schema

Examples of State, Federal and Commercial Registries

New Jersey IC Registry

ICs are cataloged within the New Jersey Department of Environmental Protection (NJDEP). The catalog includes proprietary controls, governmental controls, and enforcement status. The status reflects whether the holder of the IC is current with IC-related compliance obligations. Proprietary ICs are designated as “Deed Notices” in New Jersey. New Jersey is unique in that these Deed Notices are enforceable by statute and regulation. The NJDEP catalogs an IC by entering the ICs into the registry, and enables the user to obtain information about the site, use restrictions, and a variety of other information that maybe of interest

Entering ICs to the Registry

Most documents received from outside of the agency are processed and entered through the Bureau of Case Assignment and Initial Notice. This bureau performs an administrative review of the submission for administrative completeness. In establishing an EC or IC for a site, the bureau creates an ‘Activity Bar’ (Figure 16). The Activity Tracking Task (the first “Activity and Documents” listed in Figure 16) captures the permit processing steps and completion dates. This step also captures the future biennial certification submission due dates and agency inspection schedules (every five years). The permit issued contains all future biennial certification due dates for the person responsible for conducting the remediation.




Figure 16. Central file of initial groundwater permit, screenshot

Source: Courtesy Bob Soboleski, New Jersey.

Specific details describing the IC are either brought forward from other existing activity bars, or entered as necessary. This process includes information such as the classification exception area (CEA), shown in Figure 17, well restrictions, groundwater flow direction, contaminants, and concentrations, and estimated duration of the CEA. Similarly, for a parcel that has a Deed Notice and an engineering control, this information is captured in the Deed Notice Detail windows.

Details - RAP130001

Details for CEA101115731 (Classification Exception Area):166437:Former Shell Station 170529 VOC CEA

Available Windows

CEA 1

Record 1 of 1

GW Institutional Control: Remedial Action Permit

Name: Former Shell Station 170529

Description: The CEA encompasses the s

Date Established: 10/31/2013

Indeterminate Duration? No

Duration: 16 Year(s)

Date Lifted/Closed:

Oversight Doc Approved:

CEA Notification Received: ☐

GIS Map: ☐

Water Use Area: ☐

Off Site Contamination: ☐

Resampling Requirements:

GW Flow: Northwest

Well Restriction Area: ☐

Fact Sheet ☒

Well Restrictions:

Double Case Wells

Sample Potable Wells

GW Classification: II-A

Formations:

Passaic Formation 50

Biennial Due Date:

Biennial Cert. Compl:

Site Specific Well Restrictions:

Block	Lot	County
2910	4.01	02 - Bergen

Block & Lot... 4

Contaminants...

Options

Previous Next

OK Cancel

Figure 17. Classification Exception Area (CEA) window, screenshot.

Source: Courtesy Bob Soboleski, New Jersey

(Figure 18). Additional subscreens capture financial assurance information and monitoring or inspection requirements by the responsible entity. The entire permit document contains a copy of the filed Deed Notice and supporting exhibits and site maps. Site maps (Figure 19) and restricted areas are entered electronically through the New Jersey Bureau of Information Services. The permit writer verifies location, shape, and size. Note that in the 'Attachment List' (hanging window) are links to PDF copies of the document submissions (Remedial Action Report or Receptor Evaluation Report) for internal use or future reference. These documents will eventually be available to the general public through DataMiner.

Details - RAP130001

Details for DER100151928 (Deed/Environmental Restriction):001205:RACER Trust - Hyatt Hills DN

Available Windows

DER/Deed Notice

Alternate ID

Record 1 of 1

	Date	Book #	Page #s
Deed Notice Filed:	04/15/2003	5366	0550-0639
Deed Notice Terminated:			
Entire Site Restricted:	Yes		
Usage:	Restricted		

Engineering Control Present: Yes

Financial Assurance Exemption

Engineering Control Implemented Date: 11/13/2002

Engineer Control Lifted Date:

Engineering Control Description

Area	Engineering Control Description	Thickness	Units
Barrier Protection Layer	Imperm. Cover	2.5	Feet
Geosynthetic Composite	Permeable Cover	1	Inches
HDPE Membrane	Permeable Cover	40	millimeters

Comments: Please note that the original Deed Notice was recorded 11/13/2002 in Deed Book 5344 (pgs 554-632) with Instrument Number 115174 (Union Co.). It was re-recorded 4/15/2003 to add Attachment 1 and reference to Attachment 1 in the Table of Contents.

Block	Lot	County	Municipality
143	1	20 - Union	02 - Clark Twp

Block & Lot... Previous Next

Options OK Cancel

Figure 18. Deed Notice detail window, screenshot.

Source: Courtesy Bob Soboleski, New Jersey




Figure 19. Site map.

Agency View of the Registry

The Central File is the main agency view and starting point for the registry. Clicking through the electronic detail leads to other screens containing various site and internal information such as date assigned and to whom, the bureau, and case

type (for example, NPL),

Public View of the IC Registry

The public can locate a site using GeoWeb (Figure 20) based on street address, Program Interest Number, or other means. On the Mapped Deed Notice GeoWeb Screen, two boxes guide user choices. CEA or Deed Notice information is located under 'Sites and Locations', which is opened in the top screen. Clicking on any of these boxes highlights the mapped CEA or Deed Notice area, or other nearby features that may be of interest (schools, child care centers, gas stations, dry cleaners, chromium contaminated areas, or areas of historical fill) that may be sensitive receptors. Other regional information is shown on additional map layers, such as Pinelands Preservation/Management Areas, wellhead protection areas, water purveyor areas (waterlines), and site parcel information (lot and block).

The left side of the screen includes additional site information: the site designated PI (Program Interest) number, address, acreage, contaminants, lead bureau for the site, and site mapping coordinates (see Figure 20).

The Site Remediation Program webpage (Figure 21) includes various site listings that can be found for sites with a deed notice or CEA (by municipality, county). Each site address and PI number can be located by clicking the 'Data Miner' button on the lower left. The 'Data Miner' might be the starting point to find a specific site PI number or other information to obtain additional information in GeoWeb.




Figure 20. Parcel information, screenshot.

Source: Courtesy Bob Soboleski, NJ

Governor Chris Christie • Lt. Governor Kim Guadagno

NJ Home | Services A to Z | Departments/Agencies | FAQs Search All of NJ

newjersey njdep
department of environmental protection

site remediation program

njdep home



SRP Contacts

- About SRP
- Forms Library
- Guidance Library
- Home Heating Oil Cleanups/UHOT
- Listserv Archives
- Quick References Guide
- Rules
- SRP Data
- SRP Licensing Board
- Training
- All Other Topics -

Find an LSRP
Become an LSRP
Data Miner

Receive ListServe Messages. Give us your e-mail address!

Site Remediation Program

May 2014 Remedial Investigation Deadline **May 2014 Remedial Investigation Extension** **May 2014 Remedial Investigation Extension Reminders**

The Site Remediation Reform Act set forth sweeping changes to the way in which sites are remediated in New Jersey. SRRA established the affirmative obligation for responsible parties to remediate contaminated sites in a timely manner and created a category of remediation professionals known as Licensed Site Remediation professionals (LSRP). For more information, please see the [Overview of the LSRP Program](#).

May 7, 2012 is the day on which the phase-in period for implementing the [Site Remediation Reform Act, N.J.S.A. 58:10C-1 et seq.](#) (SRRA), and related amendments to the [Brownfield and Contaminated Sites Act](#) (Brownfield Act), the [Spill Compensation and Control Act](#), and the [Industrial Site Recovery Act](#) ended.

As of May 7, 2012, with limited exceptions, all remediations in the state of New Jersey, without regard to when remediation was initiated, are to proceed under the supervision of a Licensed Site Remediation Professional (LSRP), without New Jersey Department of Environmental Protection (Department) approval following the nine requirements set forth at [N.J.S.A. 58:10B-1.3b\(1\) through \(9\)](#).

The goal is to increase the pace of remediation, thus helping to decrease the threat of contamination to public health and safety and of

What's New!

Information regarding obtaining off-site access now available
19 March 2015

May 2014 Remedial Investigation Extension Reminders
24 February 2015

Ecological Evaluation Technical Guidance document updated
10 February 2015

December 3, 2014 CVP/SRAG-SRP Meeting
8 December 2014

September 15, 2014 CVP/SRAG-SRP Meeting
21 October 2014

Offsite contamination suspected to be unrelated to a known discharge
7 October 2014

June 4, 2014 CVP/SRAG-SRP

Figure 21. NJDEP Site Remediation Program webpage, screenshot.

Source: Courtesy Bob Soboleski, New Jersey.

California Department of Toxic Substances Control IC Registry

California maintains two separate registries of ICs: one registry at the State Water Resources Control Board within the GeoTracker services, and a second registry at the Department of Toxic Substances Control (DTSC) Envirostor system. While there are two registries, this overview focuses on the California Envirostor Registry. The GeoTracker system is similar, but separate. Additional views of the DTSC system are included at California Registry site.

Entering ICs into the Registry.

A project manager at DTSC creates an "activity" in the database of an IC (deemed an environmental covenant or deed restriction). This action generates a form that captures the steps necessary to create the IC with associated draft and final deliverables. The landowner is the recording party, and DTSC is an identified third party beneficiary. With the acceptance by DTSC of the draft IC, and the recording by the landowner, the DTSC receives the recorded IC directly from the county recorder's office of the county.

The project manager scans the recorded IC and uploads the document within the IC activity form. Within the DTSC database, one of the final steps is choosing the "Restricted Uses" from a dropdown menu. The project manager also sets any new affirmative obligations in their database system. If known, the Project Manager can identify the affected parcel ID

identification numbers (PINs) or associated parcel numbers (APNs). When the IC is selected as final, the document then becomes publicly visible within the DTSC registry. The screen shot below (Figure E-7) displays the opening page of a Site Register.

STOCKTON, ROUGH AND READY ISLAND (39420010) - VIEW MAP - PUBLIC PROFILE REPORT
CLOSED BASE PROJECT - ACTIVE

2201 W. WASHINGTON STREET
STOCKTON, CA 95201
SAN JOAQUIN COUNTY

[GANTT CHART](#)
[ACTIVITIES REPORT](#)
[MILESTONES REPORT](#)

OFFICE
CLEANUP SACRAMENTO
PROJECT MANAGER
[LANCE MCMAHAN](#)

OTHER ENVIROSTOR PROJECTS ASSOCIATED WITH THIS PROJECT: - [HCE](#)

PROJECT NAME

CITY

SITE TYPE

STATUS

PROJECT MANAGER

[STOCKTON NAVAL COMMUNICATION STATION](#)
[NAVCOMTELSTA SAN DIEGO DET STOCKTON CA](#)
STOCKTON
STOCKTON
CLOSED BASE
CORRECTIVE ACTION
INACTIVE - NEEDS EVALUATION
ACTIVE
[LANCE MCMAHAN](#)
[LANCE MCMAHAN](#)

THIS PROJECT WAS LAST MODIFIED BY [LANCE MCMAHAN](#) ON 6/4/2015 4:17:30 PM - [VIEW UPDATE HISTORY](#)

THIS PROJECT HAS OUTSTANDING DATA CLEANUP ITEMS - [CLICK HERE TO VIEW](#)

OU / SITE : PROJECT WIDE
SITE CODE : 101662
TITLE : Deed Restriction / Land Use Covenant
DOC TYPE : Land Use Restriction
START DATE : 9/29/2003
COMMIT DATE : 9/29/2003 - VISIBLE TO PUBLIC
CALC COMP DATE : 9/29/2003

[EDIT HEADER OR DRAFT DUE DATE](#)
[DELETE THIS REGULATORY ACTION](#)
[VIEW UPLOADED DOCUMENTS](#)

SCHEDULE WORK REQUEST

SCHEDULE MEETING

VERSION	DAYS	DUE DATE	REVISED DATE	COMPLETED DATE		
DTSC DRAFT & REVIEW	0	9/29/2003		9/29/2003	UPLOAD DOC	ADD COMMENT
EXTERNAL REVIEW	0	9/29/2003		9/29/2003	UPLOAD DOC	ADD COMMENT
FINAL & SIGN	0	9/29/2003		9/29/2003	UPLOAD DOC	ADD COMMENT

FINAL COMPLETED DATE IS THE DATE THAT THE DEED IS RECORDED WITH THE COUNTY

MILESTONES
☒ OWNER SIGNS ☒ DEED SENT TO COUNTY

DTSC Conclusion:

COMMENTS
THE DATES AND COMMENTS BELOW ARE EDITABLE. CLICK "SAVE CHANGES" WHEN YOU ARE DONE.

VERSION	COMMENT TYPE	DATE	COMMENT
FINAL & SIGN	COMPLETED	9/29/2003	DEED - PHSE3 -- The county of San Joaquin recorded the Deed Restriction on September 29, 2003. Predecisional Land Use Covenant for FOSET. 496 acres restricted from sensitive uses and require notification and approval to dig.
FINAL & SIGN	OTHER	9/29/2003	PHSE3

LAND USE CONTROLS
DOCUMENT NUMBER
2003224097

SITE MANAGEMENT REQUIREMENTS

- ACTIVITIES PROHIBITED WHICH DISTURB THE REMEDIATION AND MONITORING SYSTEMS WITHOUT APPROVAL
- DAY CARE CENTER PROHIBITED
- ELDER CARE CENTER PROHIBITED
- HOSPITAL USE PROHIBITED
- NO EXCAVATION OR ACTIVITIES WHICH DISTURB THE SOIL AT ANY DEPTH WITHOUT APPROVAL OF A SOIL MANAGEMENT PLAN AND/OR HEALTH AND SAFETY PLAN
- ONLY EXTRACTION OF GROUNDWATER FOR SITE REMEDIATION AND/OR CONSTRUCTION DEWATERING PERMITTED
- PUBLIC OR PRIVATE SCHOOL FOR PERSONS UNDER 21 PROHIBITED
- RESIDENCE USE PROHIBITED

RESTRICTED USE
Commercial / Industrial 496
Residential w/Restrictions 0
Open Space / Recreational 0

PARCEL NUMBERS
[SELECT PARCEL NUMS](#)
[SELECT PARCEL NUMS](#)
[SELECT PARCEL NUMS](#)
[SELECT PARCEL NUMS](#)

ADDITIONAL DESCRIPTION
A public or private school for persons under 18 years of age is prohibited.

SAVE CHANGES

Figure 22. Screen shot of the opening page of the California DTSC Registry. The red box highlights the land use controls on the site, screenshot.

Source: Courtesy Kevin Shaddy, California DTSC

Agency View and Use of the IC Registry.

An IC registry is formed through search within the EnviroStor platform (see Figure E-8). This search approach provides for not only discovery of sites with ICs, but also listings of affirmative obligations such as inspections that are pending.

COMMITMENT / COMPLETION BY ACTIVITY REPORT - ADVANCED REPORTING PARAMETERS

[RESET ALL PARAMETERS](#)

SAVED SEARCH TEMPLATES:

- [Lance & Milestones - \[DELETE THIS TEMPLATE\]](#)

ENVIROSTOR ID **PROJECT CODE**

PROJECT NAME

ADDRESS **CITY** **ZIP**

COUNTY

ALL
Alameda
Alpine
Amador
Butte
Calaveras

ACTIVITY DATE RANGE

START DATE **END DATE**

7/1/2014 6/30/2016

OFFICE **STAFF SUPERVISORS** **PROJECT MANAGER** **TEAM ASSOCIATION**

ALL
Cleanup Berkeley
Cleanup Chatsworth
Cleanup Cypress
Cleanup Legacy Landfills
Cleanup Sacramento

ALL
Ajit Valdiva
Alfredo Zanolis
Allan Plaza
Antonia Becker
Barbara Cook

ALL
Aaron Yue
Adam Palmer
Alex Lee
Alfred Wong
Alice Gimeno-O'Brien

ALL
Abandoned Mines Initiative
Central Valley Brownfields Urban site Cleanup Team
Drinking Water - Orange County Groundwater Team
Drinking Water - Visalia Groundwater Team
East Bay Urban Infill Team

ACTIVITY **ACTIVITY**

ALL
Milestones
Non-Milestones

ALL
*Action Memorandum (if <\$1M)
*Action Memorandum (if >\$1M)
*Closure Certification
*Correspondence - Received
*Engineering Evaluation / Cost Analysis - Non-Time Critical
*No Further Response Action Planned (NFRAP)
*Site Inspection (SI) Report
*Site Inspection (SI) Workplan
*Voluntary Cleanup Agreement Completion
4.14 Request

SPECIAL PROGRAM **ASSEMBLY** **SENATE** **CONGRESSIONAL DISTRICT**

ALL
* 2061
* BRAC2
* CERC2
CLEAN Loan Program
CLRRA Liability Immunity (AB 389)

ALL
Assembly District 01
Assembly District 02
Assembly District 03
Assembly District 04
Assembly District 05

ALL
Senate District 01
Senate District 02
Senate District 03
Senate District 04
Senate District 05

ALL
CONGRESSIONAL DISTRICT 01
CONGRESSIONAL DISTRICT 02
CONGRESSIONAL DISTRICT 03
CONGRESSIONAL DISTRICT 04
CONGRESSIONAL DISTRICT 05

FINANCIAL RESPONSIBILITY REQUIRED **CONFIRMED MEDIA AFFECTED** **BUSINESS ACTIVITY**

ALL
Exempt - EPA Lead
Exempt - RP is Federal Government
Exempt - RP is Local Government
Exempt - RP is State Government
Exempt - Waiver Approved by OLC

ALL
Aquifer used for drinking water supply affected
Contaminated Surface / Structure
Indoor Air
No Media Affected
Other Groundwater affected

* ADMINISTRATION OF HUMAN RESOURCES
AEROSPACE MANUFACTURING/MAINTENANCE
AEROSPACE ROCKET TESTING/LAUNCH
AGRICULTURAL - LIVESTOCK
AGRICULTURAL - ORCHARD
AGRICULTURAL - ROW CROPS

Figure 23. Search parameters on EnviroStor platform, screenshot.

Source: Courtesy Kevin Shaddy, California DTSC.

Public View and Use of the IC Registry.

The public view of the IC registry on EnviroStor consists of search, grid view, and map view.

- **Search.** ICs are discovered as a listing from the home page of EnviroStor (Figure 24). The red arrow notes the 'Land Use Restriction' link. There is no direct way to search for an IC (Land Use Restriction), but a public user may sort the IC listing by column headers, which include City, zip code and address. A public user may also search for an address in the EnviroStor database and click the site to see whether ICs apply. The IC listing may also be exported as an excel file.

[Envirostor Home](#)
[Tools](#)
[Reports](#)
[Community Involvement](#)
[Information](#)
[DTSC Home](#)

[Program](#)
[Mandated](#)
[Senate](#)
[Assembly](#)
[Congress](#)
[Land Use Restrictions](#)
[Permitted](#)
[Corrective Actions](#)
[Comm Offsite Facs](#)

TOOLS

- Site / Facility Search
- Advanced Search
- Download Data
- Subscribe to Email Alerts

REPORTS

- By Program
- Mandated Reports
- By District
- Land Use Restrictions
- Permitted Facilities
- Commercial Offsite Hazardous Waste Facilities

MAP LOCATION OF INTEREST

e.g., "10 market st, san francisco, ca" - [INFO](#)

+ Filter By Site / Facility Type

TO SEARCH FOR SPECIFIC CLEANUP SITES OR HAZARDOUS WASTE FACILITIES, USE THE [SITE / FACILITY SEARCH](#) TOOL

Figure 24. EnviroStor opening page, screenshot.

Source: Courtesy Kevin Shaddy, California DTSC.

- **Grid View.** When land use restrictions are selected as a link from the EnviroStor home page (see red arrow in Figure 24), a listing of ICs is displayed (Figure 25). The listing contains hyperlinks to the covenant document, a map of the site (as a pin), and a link to the site summary page on EnviroStor. The listing may also be sorted by clicking on any of the column headings, which allows the user to locate ICs within a City, zip code area or by address.

CA.GOV DEPARTMENT OF TOXIC SUBSTANCES CONTROL
ENVIROSTOR

[Envirostor Home](#)
[Tools](#)
[Reports](#)
[Community Involvement](#)
[Information](#)
[DTSC Home](#)

578 SITES WITH LAND USE RESTRICTIONS (866 TOTAL LAND USE RESTRICTIONS)										EXPANDED VIEW
	SITE NAME	AREA	SUB-AREA	SITE TYPE	STATUS	ADDRESS	CITY	ZIP	COUNTY	DATE RECORDED
VIEW COVENANT	MAP	HOOSH-NAM LUMBER MILL	PROJECT WIDE	VOLUNTARY CLEANUP	CERTIFIED O&M - LAND USE RESTRICTIONS ONLY	645 ELK VALLEY ROAD	CRESCENT CITY	95531	DEL NORTE	7/19/2013
VIEW COVENANT	MAP	1327 ARCHER STREET	PROJECT WIDE	VOLUNTARY CLEANUP	CERTIFIED O&M - LAND USE RESTRICTIONS ONLY	1327 ARCHER STREET	SAN LUIS OBISPO	93401	SAN LUIS OBISPO	10/14/2010
VIEW COVENANT	MAP	241 6TH STREET	PROJECT WIDE	VOLUNTARY CLEANUP	CERTIFIED O&M - LAND USE RESTRICTIONS ONLY	241 6TH STREET	SAN FRANCISCO	94103	SAN FRANCISCO	6/17/1994
VIEW COVENANT	MAP	4150 GLENCOE AVENUE	PROJECT WIDE	VOLUNTARY CLEANUP	CERTIFIED O&M - LAND USE RESTRICTIONS ONLY	4150 GLENCOE AVENUE	LOS ANGELES	90292	LOS ANGELES	6/21/2012
VIEW COVENANT	MAP	518 MINNA STREET APARTMENTS	PROJECT WIDE	STATE RESPONSE	CERTIFIED O&M - LAND USE RESTRICTIONS ONLY	518 MINNA STREET	SAN FRANCISCO	94103	SAN FRANCISCO	12/30/1994

Figure 25. EnviroStor IC page by address, screenshot.

Source: Courtesy Kevin Shaddy, California DTSC.

If the public user chooses to learn more detail on the IC, an IC detail page opens (Figure 26). This page shows the land use restrictions and a link to the covenant.

HOOSHNAM LUMBER MILL (08240009)
[SIGN UP FOR EMAIL ALERTS](#)

645 ELK VALLEY ROAD
 CRESCENT CITY, CA 95531
 DEL NORTE COUNTY
SITE TYPE: VOLUNTARY CLEANUP

PROJECT MANAGER:
SUPERVISOR:
OFFICE:

[TOM LANPHAR](#)
 DENISE TSUJI
 CLEANUP BERKELEY

[Summary](#)
[Land Use Restrictions](#)
[Activities](#)
[Map](#)
[Related Site Information](#)

Land Use Restrictions
DISCLAIMER: The land use restrictions listed under the site management requirements are only an abbreviated summary of the land use restrictions, and may not encompass all restrictions and notification requirements placed on a property. For complete land use restriction information please see the Land Use Restriction document by, clicking on the "VIEW COVENANT" link.

DATE RECORDED: 7/19/2013
[VIEW COVENANT](#)

SITE MANAGEMENT REQUIREMENTS

- NO EXCAVATION OF CONTAMINATED SOILS WITHOUT AGENCY REVIEW AND APPROVAL
- HOSPITAL USE PROHIBITED
- LAND USE COVENANT
- NO EXCAVATION OR ACTIVITIES WHICH DISTURB THE SOIL BELOW A SPECIFIED DEPTH (SEE COVENANT FOR DEPTH) WITHOUT AGENCY REVIEW AND APPROVAL OF A SOIL MANAGEMENT PLAN
- RESIDENCE USE PROHIBITED
- PUBLIC OR PRIVATE SCHOOL FOR PERSONS UNDER 21 PROHIBITED

[Back to Top](#)
[Help](#)
[Disclaimer](#)
[Contact Us](#)
[Site Map](#)

Figure 26. EnviroStor IC details, screenshot.

Source: Courtesy Kevin Shaddy, California DTSC.

- Map View. The map view (Figure 27) does not directly reveal a site with an IC, but when the site is clicked, the information balloon displays the land use restrictions for the site.

ENVIROSTOR
CLEANUP SITES
☒ Federal Superfund
☒ State Response
☒ Voluntary Cleanup
☒ School Cleanup
☒ Evaluation
☒ School Investigation
☒ Military Evaluation
☒ Tiered Permit
☒ Corrective Action
PERMITTED SITES
☒ Operating
☒ Post-Closure
☒ Non-Operating
OTHER SITES
☐ GeoTracker LUFT
☐ GeoTracker SLIC

HOOSHNAM LUMBER MILL (08240009)
 645 ELK VALLEY ROAD
 CRESCENT CITY, CA 95531
SITE TYPE: VOLUNTARY CLEANUP
STATUS: CERTIFIED O&M - LAND USE RESTRICTIONS ONLY
LAND USE RESTRICTIONS

Figure 27. IC location map, screenshot.

Source: Courtesy Kevin Shaddy, California DTSC.

Missouri IC Registry

The Missouri IC registry is maintained by the Missouri Department of Natural Resources (MDNR). The registry is encompassed by the Site Management and Reporting System (SMARS). A review of the Missouri IC Registry is available at

the Missouri SMARs overview.

Entering ICs into the Registry.

MDNR maintains an internal multiuser database that allows the characterization of ICs. All attributes except the geographic boundaries of the IC are entered into SMARS including restrictions, affirmative obligations, and monitoring results. The SMARS database organizes IC obligations with an LTS section of the database (Figure 28).

The screenshot displays the 'Long Term Stewardship' application window. The 'Location' dropdown is set to 'West Meadows'. The 'Summary' tab is active, showing site details: Site/Facility Name: West Meadows, Operable Unit Name: West Meadows-Site 1, AUL Area: BVCP site, Address: 725 W. Olive, City: Springfield, and County: Greene. A toolbar at the top right includes 'New Location' and 'Delete Location' buttons. Below the site information, there are three main sections: 'Contacts', 'Contaminants', and 'Media Impacted'. The 'Contacts' section is a table with columns for 'Contacts' and 'Role'. The 'Contaminants' section is a list of chemical names. The 'Media Impacted' section is a list of media types. The 'Instrument Types' section is a list of instrument types. The 'IC Maintenance' button is visible on the right. The bottom status bar shows 'Record: 1 of 1' and a search field.

Contacts	Role
City of Springfield Planning & Dev	IC Implementation
Hazardous Waste Program	IC Monitoring
Olivia Hough	IC Implementation

Contaminants
Benzo(b)fluoranthene
Benzo(a)pyrene
Dibenzo(a,h)anthracene
Benzene
Lead
Arsenic
Cadmium

Media Impacted
Soil
Water

Instrument Types
Restrictive Covenant
Use Restrictions
No Disturbance of Soil
No Drilling or Use of Groundwater
Non-Residential Use

Figure 28. Internal IC profile page within the SMARS system, screenshot.

Source: Courtesy Bob Wenzlau, Terradex.

The sections include structured entries allowing for the near complete characterization of an IC (Figure 29).

Site Information

Site No 11594 Site Name West Meadows All

OU Name West Meadows-Site 1 Job Code NJ09WMS1 Standard

Address 725 W. Olive City Springfield County Greene Zip 65806

Township 29 Range 22 Dir. Section 23 Sec Desc Parcel #

Region Southwest NearTown Leg Desc See Exhibit A

Metro/Furor Metro Spfld Acreage 1.26

US House 7 MO Sen 30 MO House 132 OU Desc The 1.26 acre property is a portion of the 14 acre West Meadows rail yard donated by Burlington

Alias Jordan Valley Park, Champieux Property

Site Directions Site lies to the west of Main. St. in the 300 block, behind the Universal Paint Building.

ECO Remarks

Archive Box# On Files

HH Remarks

OU Ownership VCP Sensitive Center of Ops.

Site Status Active Closed Pending Inactive

VCP Status - Cert. of Completion Issued/AULs

Additional Counties FUDS # SSID

Inventory RefURL

Record: 2 of 9 No Filter Search

Superfund VCP Fed Fac RCRA Registry DERT High Profile Tanks VCP

EPA ID No. NPLDate Tanks Registration No.: Tanks Remediation No.:

Financial Info Billing Wizard Consent Agr Operations Managers Status Gen. Waste VCP Docs

Duplicate OU Links VCP Applrfo Site Agrmnt Contaminant Contacts Rel Activ Samples Property Profile

General Info Site Sgarch LTS Billing History GIS Info Public Part. Supp Act DERT Docs BA Application

Figure 29. Site information within the SMARS system, screenshot.

Source: Courtesy Bob Wenzlau, Terradex.

Public View and Use of IC Registry.

MDNR maintains an LTS web page, which introduces the duties of MDNR to manage postremedial obligations. The page also describes LTS tools to the public. Additionally, the page links to the Hazardous Substance Site Locator.

A public user can search for a cleanup site by county, city zip code, or specific address. Color-coding differentiates cleanup sites into four categories: active, LTS sites, environmental notice, or cleanup completed (Figure 30).




Figure 30. Public page offering the public a quick description of the status of the long-term stewardship of a site including ICs, screenshot.

Source: Courtesy Bob Wenzlau, Terradex.

As a search for a cleanup site is completed, for sites with ICs, the map shows “Activity” and “Use Limitation” areas as a polygon. The cleanup site icon is clickable, and reveals an information balloon identifying the activity and use limitation with a link to a detailed summary of the activity and use limitation (Figure 31).




Figure 31. Site map within the SMARS system, screenshot.

Source: Courtesy Bob Wenzlau, Terradex.

Washington State IC Registry

The IC catalog in Washington State is part of an internal database (Integrated Site Information System) maintained by the State Department of Ecology (WA DOE Integrated Site Information System). This database is not limited to proprietary controls and government controls (easements, permits) and also includes other types of alternative ICs.

Entering ICs into the Registry.

The cleanup site manager is part of the decision-making and approval process for an IC to become part of a remedy, therefore discovery occurs automatically. For proprietary controls, the agency provides a draft of the IC to the property owner for recording. After an IC is recorded, the original is returned to and held by the agency.

Once an IC has been implemented, it is scanned and uploaded and the details of the IC are entered into the internal database, including any required future activities associated with the IC (such as a five-year review). IC data are entered into Washington's internal database by a WA DOE cleanup site manager (or administrative staff serving that cleanup site manager) upon discovery.

Agency View and Use of the IC Registry.

The agency view of the IC registry is part of the internal database that contains a description and cleanup data for all sites in Washington's cleanup program. IC data are found in a subsection of this database (Figure 32) and contains a list of required activities or obligations associated with an IC. The Institutional Control link is highlighted in blue within the left bar.

DEPARTMENT OF ECOLOGY
State of Washington

Integrated Site Information System (ISIS)

Welcome ECVjane46

ISIS Home Map Search My Profile Utilities Help

ISIS NAVIGATION

- Cleanup Site**
 - Site Details
 - Site Administration (2)
 - Site Cleanup Activities (2)
 - Site Contaminants
 - Owners and PLPs (1)
 - Institutional Controls (2)**
 - TEE Form (1)
 - Brownfield
 - Site Groups
 - ISIS Reports
 - Document Review
 - Documents
 - Site Data Review
- Cleanup Units**
 - Upload Unit Details
 - Activities Summary (3)
 - Media (1)
 - VCP (1)
 - LUUST
 - Upload

BREWSTER SCHOOL DIST NEW SOCCER FIELDS – ISIS CLEANUP SITE ID: 4563

FSIID: 2105796 Facility Site Name: [Brewster School Dist New Soccer Fields](#) Facility Site Address: 1010 SUNSET DR BREWSTER, WA 98812 Okanogan [\[map\]](#)

Cleanup Site Status: No Further Action Required Cleanup Site NFA Basis: NFA-Voluntary Cleanup Program Review
Site Manager: Hegner, Norm

INSTITUTIONAL CONTROLS

[Add New Instrument](#) [Refresh](#)

Instrument Name: Environmental Covenant #3181711 4/24/2013 Instrument Type: Amended Environmental Covenant [Edit](#) [Delete](#)

Cleanup Units
Brewster School Dist New Soccer Fields

Instrument Details:

Instrument Name:	Environmental Covenant #3181711 4/24/2013
Instrument Type:	Amended Environmental Covenant
Recording County:	Okanogan
County Recording Number:	3181711
County Recording Date:	4/24/2013
Related Parent Instrument:	Covenant - Amended Environmental Covenant
Tax Parcel:	3024140106, 3024142005, 3024143005
DSARS Document:	***Document ID (Coming soon)***

[Covenant](#) [Environmental Covenant](#) [Edit](#) [Delete](#)


[Intranet Home](#) [ISIS Home](#) [Help](#) [Report a Bug](#)

Figure 32. Washington State Department of Ecology Integrated Site Information System (ISIS) site opening page, screenshot.

Source: Courtesy Bob Wenzlau, Terradex.

Public View and Use of the Registry.

Public view of the IC registry in Washington is provided through a web reporting tool. This tool allows the user to search by parameters such as address, city, agency, and region. The results are provided in a variety of tabular forms (Figure 33). A map search is not available.



DEPARTMENT OF
ECOLOGY
State of Washington

Uniform Environmental Covenants Registry

6/9/2015

Legend on last page.

Adams County

SITE ID and LOCATION		View Site Web Page		View Site Documents	
FS ID	CS ID	Cleanup Site Name & Address	Site Manager	NFA Date	Site Status & Rank
558	1909	BURLINGTON NORTHERN OTHELLO BROADWAY & MAIN OTHELLO 99344	Palmer, Huckleberry	08/26/2003	NFA 1
ENVIRONMENTAL COVENANTS & other INSTITUTIONAL CONTROLS					
Instrument Type	Notes	County Recording #	County Recording Date	Control Type Details	
Environmental Covenant	Restrictive Covenant #247302 12/03/1997	247302	12/3/1997	Engineering Control Engineering Control Use Restriction Use Restriction Use Restriction	Engineered Cap Vertical Ground Water Barrier Restrict All Ground Water Use Restrict Land Use Restrict Soil Use

Figure 33. Washington Department of Ecology IC Registry site information page, screenshot.

Source: Courtesy Bob Wenzlau, Terradex.

Idaho Remediation Facility Mapper

Entering ICs into the Registry.

Once an IC is received, the IC information is entered into two systems. The HP Trim system stores the document associated with the IC along with other remedy documents. The IC boundary is delineated into a polygon by departments mapping staff.

The data within the TRIM system and GIS are consolidated into a web platform that contains both mapping and documentation. The platform maintains backend access for the Idaho Department of Environmental Quality (IDEQ) staff to

characterize the ICs, and then confirm that the characterized ICs are visible for public review.

Agency View and Use of IC Registry.

The Idaho registry of environmental covenants is a web-based display offering both grid and map view. The grid view supports search for ICs by type of IC, city, address or other keyword search (Figure 34). The response summarizes IC conditions, carries a link to the associated covenant, and a view to the map.




Figure 34. IDEQ remediation facility mapper.
Screenshot courtesy Bob Wenzlau, Terradex.

The map represents the boundary of the IC and other map features, as well as IC monitoring data that can be shown as an overlay. The feature is responsive to a click, allowing basic IC information to be shown while browsing the map (Figure 35).




Figure 35. Example data overlays using IDEQ facility mapper, screenshot.

Source: Courtesy Bob Wenzlau, Terradex.

The mapping system's organization is responsive to the hierarchy of a site that may have multiple ICs. Through the search function, a user can find one site, then discern that the site has multiple ICs, and that these ICs may affect multiple noncontiguous areas.

Public View and Use of IC Registry.

The IDEQ maintains a facility mapper that displays the occurrence of ICs (Figure 36). This searchable map allows the public to discover cleanup sites by program as well as by keyword search by site name. When covenants are present, a tab is revealed to allow download of the instrument.

Map Location of Interest

Location:


[Advanced Search](#)

OR

Filter:

[Radius Search](#)

Interactive Map



Get Map Link [Map Scale: Scale = 1 : 6771](#) [Decimal Degrees = -116.56129, 48.28121](#)

[Full Screen](#)

Feature Info

RILEY CREEK SANDPOINT

808 N BOYER AVE

SANDPOINT ID

ID: 2011BAZ5551

[Programs](#)

[Environmental Covenant](#)

[Contacts](#)

Programs

IDEQ Waste Remediation Program	Program ID	Status
General Remediation	1-GR-0257	Closed
RCRA Hazardous Waste Sites	IDD010187466	
Underground Storage Tanks	1-090068	



Brownfields



Formerly Used Defense Site



General Remediation



Installation Restoration Program



Leaking Underground Storage Tank



Mining



Multiple Programs



National Priority List (Superfund)



RCRA Hazardous Waste Site



Solid Waste



Underground Storage Tanks



Voluntary Cleanup Program



Other

Figure 36. Public view of IDEQ facility mapper, screenshot

Source: Courtesy Bob Wenzlau, Terradex.

Navy IC Registry

The Navy maintains the Land Use Control (LUC) Tracker. The LUC Tracker is representative of a sophisticated inventory used by a responsible party.

Navy LUC Tracker Home Screen

The “Home” screen requires the selection of a region and installation to display any data. In the screenshot below, the user has selected “WASHINGTON, INDIAN HEAD” (Figure 37).

Figure 37. Dropdown box used to select a region or installation, screenshot.

The screen is divided into several sections consisting of a menu bar across the top and a data display area in the middle. The data display area is divided into the controlled areas, inspections that are *Pending* or have a *Control* violation, and installation map for the selected area. From this screen the user is able to perform the following tasks:

- Add a new controlled area.
- Edit an existing controlled area.
- Begin an inspection task.
- View inspections that have a violation or other deficiency.
- View, add, and remove documents.
- View, add, and edit contacts.
- Access the installation Administrative Record.
- View the installation map.
- Access the WEBGIS.
- Access the LUC Tracker Query tool.

Controlled Area

A specific LUC is made up of several components that describe the controlled area. These components include the factors, problems, and remedies used to track and control the individual parcel. Following is a sample hierarchy (Table 8) that describes the different types of components and their placement.

Table 8. Hierarchy within the Navy LUC Tracker

- 1) REGION (SOUTHEAST)
 - a) INSTALLATION (KEYWEST)
 - i) CONTROLLED AREA (HAMACA HAWK MISSILE SITE)
 - (1) DRIVERS (LUC-METALS, ARSENIC)
 - (2) SITES (SITE 00003)
 - (a) RESTRICTIONS (ACCESS)
 - (b) CONTROLS (CAPPED)
 - (3) DOCUMENTS (PRIMARY MAP, CHECKLIST)
 - (4) CONTACTS (RPM, SUPERVISOR)

The editor screen is divided into two tabs (Figure 38) with the *Controlled Area* tab for entering data regarding a LUC and the *Inspections* tab for addressing pending and unresolved inspections or viewing past inspection reports (or viewing closed inspections).

LUC Tracker Region: WASHINGTON Installation: INDIAN_HEAD_NSWC

Controlled Area | Inspections

New Save Delete Create Off-Cycle Inspection Close

Details

LUC Identifier: N00174_000005

Name (50 characters): SITE 11 - CAFFEE ROAD

LUC Description (512 characters): Site 11 is divided into two areas: Area A and Area B. Area A includes a soil cover and a living shoreline. Area B includes in situ capping. No cover disturbance. No residential use. No use of shallow

Drivers

Select and assign the main chemical or physical factors for this LUC.

Add Driver Remove Selected

Group Name	Specific Driver Name
LUC-Landfill	
LUC-Metals	ARSENIC
LUC-Metals	CADMIUM
LUC-Metals	COPPER
LUC-Metals	MANGANESE
LUC-Metals	ZINC
LUC-Regulatory	

Figure 38. Editor screen of the Navy LUC Tracker, screenshot.

Sites

Select and assign the sites contained within this controlled area.

Add Site

Remove Selected

Name	Narrative	Norm Names
SITE 00011	CAFFEE ROAD LANDFILL	SITE 00011

Restrictions

Restrictions describe the specific problem that is to be addressed and controlled by the LUC Tracker.

Add Restriction

Remove Selected

Name	Start Date	Status
NON-RESIDENTIAL	01/31/2009	ORIGINAL
INVASIVE_ACTIVIT	01/31/2009	ORIGINAL
SEDIMENT	01/31/2009	ORIGINAL
GROUNDWATER	01/31/2009	ORIGINAL
SOIL_DISTURBANCE	01/31/2009	ORIGINAL
LNDLL_COVER_MNT	01/31/2009	ORIGINAL

Controls

Select and assign the Controls for the Restrictions above.

Add Control

Remove Selected

Name	Start Date	Frequency
MASTER PLAN	01/31/2009	Twice per year
NOTIFICATION	01/31/2009	Twice per year
SIGNAGE	01/31/2009	Twice per year

Documents

Controlled Sites

▼ SITE 00011

▼ GROUNDWATER

MASTER PLAN

NOTIFICATION

▼ INVASIVE_ACTIVIT

MASTER PLAN

NOTIFICATION

SIGNAGE

▼ LNDLL_COVER_MNT

MASTER PLAN

NOTIFICATION

SIGNAGE

▼ NON-RESIDENTIAL

MASTER PLAN

▼ SEDIMENT

MASTER PLAN

SIGNAGE

▼ SOIL_DISTURBANCE

MASTER PLAN

SIGNAGE

Figure 39. Controlled Area tab screenshot.

From the *Controlled Area Tab* (Figure 39) the user can add the full definition for a LUC including drivers, sites, restrictions, controls, documents, and contacts.

From the *Inspections Tab* (Figure 40) the user can:

1. Start a pending inspection task for a specific site/project.
2. Complete an inspection task.
3. Review a closed inspection.

Navy View and Use of IC Registry.

This Navy LUC Tracker system is not publicly available but the results of the inspections are available as part of the five year reviews and other site specific reporting documents. The Navy must approve users for access to the Navy LUC Tracker to maintain security at the installations. The Navy RPM and the appropriate managers within the Navy can access the information. The information may be made available to other stakeholders who need access and have the required security clearance.

Inspections. In addition to recording information about a specific controlled area, the LUC Tracker contains an inspection module (Figure 40) used to ensure each of the remedies are being properly maintained and are without damage or deficiency. LUC Tracker supports automatic notifications as controls become due for inspection and also an *Inspect Now* feature used to record an immediate or off-cycle inspection activity.

The scheduled inspections feature in the LUC Tracker consists of an automated process that runs on the first day of each

month to determine which controls should be presented for inspection in the coming month based on the choices made during data entry. This process accomplishes the following tasks:

1. Creates an inspection task that will be displayed on the *Home*
2. Sends a consolidated email with full instructions to the assigned RPM/MONITOR that an inspection is due. The email notification directs the RPM to login to the application and click the task to begin the report.

Once a scheduled or off-cycle inspection is initiated, the Inspection Editor opens and displays the inspection report to be completed in the right hand pane. This tool consists of two panels, with the panel on the left displaying a table for *Outstanding* and *Completed* Inspections (Figure E-25) and the panel on the right presenting the inspection questionnaire for each controlled area.

The screenshot shows the 'Inspections' tab in a web application. It is divided into two main sections: 'Outstanding Inspections' and 'Completed Inspections' on the left, and 'Details' and 'Attachments' on the right.

Outstanding Inspections: A table with columns 'Controlled Area' and 'Month Due'.

Completed Inspections: A table with columns 'Controlled Area' and 'Completed Date'. The table lists four entries for 'SITE 11 - CAFFEE ROAD LANDFILL' with completion dates of Sep 2013, Sep 2012, Jul 2012, and Jan 2015. The entry for Jan 2015 is highlighted in blue.

Details: A section containing the following information:

- Controlled Area: SITE 11 - CAFFEE ROAD LANDFILL
- Sites: SITE 00011
- RPMs: Cantu, Allison, Rail, Joseph
- Inspector: Cantu, Allison
- Completed Date: Jan 2015
- Inspection Type: SCHEDULED
- Status: CLOSED

Attachments: A section with the text 'Attach a file to this inspection.' and a table with columns 'Title' and 'Link'.

Inspected controls must be marked as Compliant or identified as deficient.

Controls: A table with columns 'Control Name' and 'Restrictions'.

Control Name	Restrictions
MASTER PLAN	SEDIMENT, LNDFLL_COVER_MNT, NON-RESIDENTIAL, GROUNDWATER, INVASIVE_ACTIVIT, SOIL
NOTIFICATION	INVASIVE_ACTIVIT, LNDFLL_COVER_MNT, GROUNDWATER
SIGNAGE	INVASIVE_ACTIVIT, LNDFLL_COVER_MNT, SOIL_DISTURBANCE, SEDIMENT

Previous Inspection: A section with the question 'Were any problems or deficiencies noted during the previous inspection?' and two radio buttons: 'Yes' and 'No'. The 'No' button is selected.

Figure 40. Inspection module tab, screenshot.

The report is divided into several sections that must be completed. The sections are as follows:

Details. The *Details* section displays basic information regarding the controlled area being inspected including the name, assigned sites, the RPM, the inspector, the inspection type (scheduled or off-cycle) and the status.

Inspection Questionnaire. The questionnaire is divided into several sections and structured as a wizard in which different questions may be presented based upon answers to questions above. The online form includes the following sections: Previous Inspection, Property Use, ICs, Current Inspection, and Corrective Action.

Corrective Action. The Corrective Action section is only displayed when a control is marked deficient as described above.

LUC Tracker Query Tool. A query tool (Figure 41) is available to query the overall application data and also generate reports or provide export output. The screen is a query-builder that presents data choices as dropdown fields used to easily locate and find information. The tool can be used to search within a specific region and site/project or globally system-wide.

Below is an example results screen for all LUC-GROUNDWATER RESTRICTIONS for all sites at NSF-INDIAN HEAD.

LUC Tracker

Query Type

Query Parameters

Query

Restrictions

Reset Form

Locations

Add

Remove Selected

Name

INDIAN_HEAD_NSWC

Restriction Selection

Restriction:

GROUNDWATER

Results

Export

Name	Controlled Area Name	Installation Name	Region Name
GROUNDWATER	SITE 11 - CAFFEE ROAD LANDFILL	INDIAN_HEAD_NSWC	WASHINGTON
GROUNDWATER	SITE 12 - TOWN GUT LANDFILL	INDIAN_HEAD_NSWC	WASHINGTON
GROUNDWATER	SITE 21 - BRONSON ROAD LANDFILL	INDIAN_HEAD_NSWC	WASHINGTON
GROUNDWATER	SITE 42 - OLSEN ROAD LANDFILL	INDIAN_HEAD_NSWC	WASHINGTON
GROUNDWATER	SITE 57 - BLDG 292 TCE CONTAM.	INDIAN_HEAD_NSWC	WASHINGTON

Figure 41. Navy LUC Tracker query tool, screenshot.

The types of queries that can be run in the LUC Tracker include:

- controlled areas
- drivers
- restrictions
- controls
- inspections

Public View and Use of IC Registry.

See E.6.3 for the requirements for public need-to-know and security.

Conveyance of ICs to State Registries

Required reports are generated and provided to appropriate agencies.

Evaluation

This system and process has been tested and restructured to provide a vehicle to capture requirements and make them available to appropriate parties. The module meets the needs of the RPMs to ensure that tracking, monitoring, documentation, and protectiveness are addressed.

Terradex WhatsDown IC Registry

The Terradex WhatsDown registry is representative of a commercial service that aggregates multiple IC registries to form a comprehensive nationwide IC registry. A comprehensive registry is useful when agency geographic jurisdictions overlap, while maintaining separate IC registries. For example, in California two state agencies and the USEPA maintain separate registries covering the same geography. Additionally, WhatsDown interprets the ICs to make them easier to understand and use (for instance, renaming “ICs” as “Environmental Protections”). This representative set of third-party tools offers IC outreach and relies on well-formed data sets obtained from state and federal agencies.

Entering ICs to the Registry.

Terradex collects the ICs by downloading registries from agency databases that are either present on the web or requested through the Freedom of Information Act. The data usually contains location information, information on restrictions, information on points of contact, and links to supporting websites. As part of its data collection, Terradex converts legal descriptions (often shown as metes-and-bounds) to polygon coverage of the IC.

Public View and Use of WhatsDown IC Registry

The IC registry in WhatsDown is called *Environmental Protections* to inform the public user of the generic purpose of the IC. The registry is responsive to mobile, phone, or desktop use. On a mobile phone, the IC registry obtains the user's location to target the initial map view to coincide with their current location. This view is shown on Panel 1 of Figure E-27.




Figure 42. WhatsDown Phone application screenshots. Panel 1 - initial map view, Panel 2 - details of a specific IC, Panel 3 - icons representing categories of restrictions.

Source: Courtesy Bob Wenzlau, Terradex.

The ICs can be viewed in the context of other relevant environmental information including spill sites, groundwater plume extent, and areas containing munitions. The IC is represented by a polygon that is responsive to touch on a mobile device or a click on a desktop. The IC database now includes about 15,000 ICs, but the application should still be considered a work-in-progress.

When the IC area is touched on the screen, a popup window opens to show information about the IC (Panel 2). Links to the IC are shown, as well as an associated state presentation. Additionally, Terradex provides the support for a chat window that allows users to ask questions about an IC. Note that the icons shown for individual ICs on Panel 3 are consistent with the icons for general categories of restrictions.

Users may also share findings using social media tools such as Facebook, LinkedIn, or Twitter. The application provides guidance to help users understand and then apply the information; see the About link on the WhatsDown home page for an introduction to this application.